

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
GRND-1ST COL.C1	01	T20	2	6	12	3,600	00	3,600						107	
GRND-1ST COL.C1	02	T10	2	23	46	1,375	33	450	100	150				39	
GRND-1ST COL.C1	03	T10	2	23	46	325	21	125	100	125				9	
GRND-1ST COL.C2	04	T20	4	8	32	3,600	00	3,600						284	
GRND-1ST COL.C2	05	T10	4	23	92	1,875	33	700	100	150				106	
GRND-1ST COL.C2	06	T10	4	23	92	1,050	33	290	100	150				60	
GRND-1ST COL.C4	07	T16	2	12	24	3,450	00	3,450						131	
GRND-1ST COL.C4	08	T10	2	30	60	1,375	33	450	100	150				51	
GRND-1ST COL.C4	09	T10	2	30	60	325	21	125	100	125				12	
GRND-1ST COL.C11	10	T16	3	20	60	3,450	00	3,450						327	
GRND-1ST COL.C11	11	T10	3	15	45	2,775	33	1,150	100	150				77	
GRND-1ST COL.C11	12	T10	3	60	180	875	33	200	100	150				97	
1ST-2ND COL.C1	13	T20	2	6	12	3,600	26	875	285	2,425	45			107	
1ST-2ND COL.C1	14	T10	2	23	46	1,375	33	450	100	150				39	
1ST-2ND COL.C1	15	T10	2	23	46	325	21	125	100	125				9	
1ST-2ND COL.C2	16	T20	4	8	32	3,600	26	875	285	2,425	45			284	
1ST-2ND COL.C2	17	T10	4	23	92	1,875	33	700	100	150				106	

This schedule complies with 8666/00

Page Total

1,845

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

SteelPac RCS

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
1ST-2ND COL.C2	18	T10	4	23	92	1,050	33	290	100	150				60	
1ST-2ND COL.C4	19	T16	2	12	24	3,450	26	725	230	2,475	35			131	A
1ST-2ND COL.C4	20	T10	2	30	60	1,375	33	450	100	150				51	
1ST-2ND COL.C4	21	T10	2	30	60	325	21	125	100	125				12	
1ST-2ND COL.C11	22	T16	3	20	60	3,450	26	725	230	2,475	35			327	A
1ST-2ND COL.C11	23	T10	3	15	45	2,775	33	1,150	100	150				77	
1ST-2ND COL.C11	24	T10	3	60	180	875	33	200	100	150				97	
2ND-3RD COL.C1	25	T20	2	6	12	2,475	26	875	285	1,300	45			73	
2ND-3RD COL.C1	26	T20	2	6	12	1,325	11	300	1,075					39	
2ND-3RD COL.C1	27	T10	2	21	42	1,375	33	450	100	150				36	
2ND-3RD COL.C1	28	T10	2	21	42	325	21	125	100	125				8	
2ND-3RD COL.C2	29	T20	4	8	32	2,475	26	875	285	1,300	45			195	
2ND-3RD COL.C2	30	T20	4	8	32	1,325	11	300	1,075					105	
2ND-3RD COL.C2	31	T10	4	21	84	1,875	33	700	100	150				97	
2ND-3RD COL.C2	32	T10	4	21	84	1,050	33	290	100	150				54	
2ND-3RD COL.C4	33	T16	2	12	24	2,475	26	725	230	1,500	35			94	A
2ND-3RD COL.C4	34	T16	2	12	24	1,150	11	250	925					44	

This schedule complies with 8666/00

Page Total

1,500

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

SteelPac RCS

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
2ND-3RD COL.C4	35	T10	2	26	52	1,375	33	450	100	150				44	
2ND-3RD COL.C4	36	T10	2	26	52	325	21	125	100	125				10	
2ND-3RD COL.C11	37	T16	3	20	60	2,475	26	725	230	1,500	35			234	A
2ND-3RD COL.C11	38	T16	3	20	60	1,150	11	250	925					109	
2ND-3RD COL.C11	39	T10	3	13	39	2,775	33	1,150	100	150				67	
2ND-3RD COL.C11	40	T10	3	52	156	875	33	200	100	150				84	
GRND-1ST COL.C4A/C1H	48	T16	4	6	24	3,450	00	3,450						131	
GRND-1ST COL.C4A/C1H	49	T16	4	6	24	2,050	00	2,050						78	A
GRND-1ST COL.C4A/C1H	50	T16	4	6	24	1,550	11	300	1,275					59	A
GRND-1ST COL.C4A/C1H	51	T10	4	15	60	1,375	33	450	100	150				51	A
GRND-1ST COL.C4A/C1H	52	T10	4	15	60	325	21	125	100	125				12	A
GRND-1ST COL.C4A/C1H	78	T10	4	12	48	1,375	33	450	100	150				41	A
GRND-1ST COL.C4A/C1H	79	T10	4	12	48	325	21	125	100	125				10	A
1ST-2ND COL.C4A/C1H	53	T20	4	6	24	3,600	26	725	285	2,570	45			213	
1ST-2ND COL.C4A/C1H	54	T10	4	23	92	1,375	33	450	100	150				78	
1ST-2ND COL.C4A/C1H	55	T10	4	23	92	325	21	125	100	125				18	
2ND-3RD COL.C4A/C1H	56	T20	4	6	24	2,475	26	875	285	1,300	45			146	
2ND-3RD COL.C4A/C1H	57	T20	4	6	24	1,325	11	300	1,075					78	

This schedule complies with

8666/00

Page Total

1,463

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

SteelPac RCS

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
2ND-3RD COL.C4A/C1H	58	T10	4	21	84	1,375	33	450	100	150				71	
2ND-3RD COL.C4A/C1H	59	T10	4	21	84	325	21	125	100	125				17	
GRND-1ST COL.C1B	60	T20	3	6	18	3,600	00	3,600						160	A
GRND-1ST COL.C1B	63	T10	3	23	69	1,375	33	450	100	150				58	A
GRND-1ST COL.C1B	64	T10	3	23	69	325	21	125	100	125				14	A
1ST-2ND COL.C1B	66	T20	3	6	18	2,400	26	875	285	1,225	45			107	A
1ST-2ND COL.C1B	67	T20	3	6	18	1,325	11	300	1,075					59	
1ST-2ND COL.C1B	68	T10	3	20	60	1,375	33	450	100	150				51	A
1ST-2ND COL.C1B	69	T10	3	20	60	325	21	125	100	125				12	A
GRND-1ST COL.C1A	70	T20	2	6	12	2,400	00	2,400						71	B
GRND-1ST COL.C1A	71	T20	2	6	12	1,325	11	300	1,075					39	B
GRND-1ST COL.C1A	72	T10	2	20	40	1,375	33	450	100	150				34	B
GRND-1ST COL.C1A	73	T10	2	20	40	325	21	125	100	125				8	B
GRND-1ST COL.C2A	74	T20	4	8	32	2,400	00	2,400						189	
GRND-1ST COL.C2A	75	T20	4	8	32	1,325	11	300	1,075					105	
GRND-1ST COL.C2A	76	T10	4	20	80	1,875	33	700	100	150				92	
GRND-1ST COL.C2A	77	T10	4	20	80	1,050	33	290	100	150				52	

This schedule complies with 8666/00

Page Total

1,139

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

SteelPac RCS

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
GRND-1ST COL.C1G	81	T20	1	4	4	1,525	11	450	1,125					15	A
GRND-1ST COL.C1G	82	T20	1	2	2	1,900	11	450	1,500					9	A
GRND-1ST COL.C1G	83	T20	1	6	6	2,400	00	2,400						36	A
GRND-1ST COL.C1G	84	T20	1	6	6	1,325	11	300	1,075					20	A
GRND-1ST COL.C1G	85	T10	1	20	20	1,375	33	450	100	150				17	A
GRND-1ST COL.C1G	86	T10	1	20	20	325	21	125	100	125				4	A
GRND-1ST COL.C1G	87	T10	1	3	3	1,300	33	410	100	150				2	A
GRND-1ST COL.C1G	88	T10	1	3	3	325	21	125	100	125				1	A
GRND-1ST COL.C1I	91	T20	1	6	6	2,850	11	300	2,600					42	B
GRND-1ST COL.C1I	92	T10	1	17	17	1,375	33	450	100	150				14	B
GRND-1ST COL.C1I	93	T10	1	17	17	325	21	125	100	125				3	B

This schedule complies with

8666/00

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

SteelPac RCS

Page Total
Schedule Total

163
6,110
Page 5 of 5