

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP G	32	T40	1	6	6	6,225	21	1,240	3,945	1,240				368	
PILECAP G	33a	T40	1	2	2	6,200	21	1,240	3,925	1,240				122	
PILECAP G	33b	T40	1	2	2	6,000	21	1,240	3,735	1,240				118	
PILECAP G	33c	T40	1	2	2	5,825	21	1,240	3,545	1,240				115	
PILECAP G	34a	T20	1	2	2	5,675	21	1,240	3,285	1,240				28	
PILECAP G	34b	T20	1	2	2	5,425	21	1,240	3,040	1,240				27	
PILECAP G	34c	T20	1	2	2	5,175	21	1,240	2,800	1,240				26	
PILECAP G	34d	T20	1	2	2	4,925	21	1,240	2,555	1,240				24	
PILECAP G	34e	T20	1	2	2	4,700	21	1,240	2,310	1,240				23	
PILECAP G	34f	T20	1	2	2	4,450	21	1,240	2,065	1,240				22	
PILECAP G	34g	T20	1	2	2	4,200	21	1,240	1,825	1,240				21	
PILECAP G	34h	T20	1	2	2	3,950	21	1,240	1,580	1,240				19	
PILECAP G	35a	T20	1	1	1	6,125	21	1,175	3,880	1,175				15	
PILECAP G	35b	T20	1	1	1	5,950	21	1,175	3,710	1,175				15	
PILECAP G	35c	T20	1	1	1	5,800	21	1,175	3,545	1,175				14	
PILECAP G	35d	T20	1	1	1	5,625	21	1,175	3,375	1,175				14	
PILECAP G	35e	T20	1	1	1	5,450	21	1,175	3,210	1,175				13	
PILECAP G	35f	T20	1	1	1	5,275	21	1,175	3,030	1,175				13	
PILECAP G	35g	T20	1	1	1	5,125	21	1,175	2,875	1,175				13	
PILECAP G	35h	T20	1	1	1	4,950	21	1,175	2,705	1,175				12	
PILECAP G	35i	T20	1	1	1	4,800	21	1,175	2,540	1,175				12	
PILECAP G	35j	T20	1	1	1	4,625	21	1,175	2,375	1,175				11	

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP G	35k	T20	1	1	1	4,450	21	1,175	2,205	1,175				11	
PILECAP G	35l	T20	1	1	1	4,300	21	1,175	2,040	1,175				11	
PILECAP G	36a	T32	1	1	1	6,525	21	1,175	4,330	1,175				41	
PILECAP G	36b	T32	1	1	1	6,350	21	1,175	4,175	1,175				40	
PILECAP G	36c	T32	1	1	1	6,200	21	1,175	4,025	1,175				39	
PILECAP G	37	T32	1	5	5	6,550	21	1,175	4,370	1,175				207	
PILECAP G	38a	T40	1	2	2	5,900	21	1,160	3,775	1,160				116	
PILECAP G	38b	T40	1	2	2	5,700	21	1,160	3,585	1,160				112	
PILECAP G	38c	T40	1	2	2	5,500	21	1,160	3,395	1,160				109	
PILECAP G	39	T40	1	6	6	5,950	21	1,160	3,845	1,160				352	
PILECAP G	40a	T32	1	1	1	6,250	21	1,105	4,215	1,105				39	
PILECAP G	40b	T32	1	1	1	6,100	21	1,105	4,060	1,105				39	
PILECAP G	40c	T32	1	1	1	5,950	21	1,105	3,910	1,105				38	
PILECAP G	41	T32	1	5	5	6,325	21	1,105	4,270	1,105				200	
PILECAP G	42a	T32	1	1	1	4,200	21	1,230	1,895	1,230				27	P3
PILECAP G	42b	T32	1	1	1	4,150	21	1,230	1,860	1,230				26	P3
PILECAP G	42c	T32	1	1	1	4,125	21	1,230	1,825	1,230				26	P3
PILECAP G	42d	T32	1	1	1	4,075	21	1,230	1,790	1,230				26	P3
PILECAP G	42e	T32	1	1	1	4,050	21	1,230	1,755	1,230				26	P3
PILECAP G	42f	T32	1	1	1	4,025	21	1,230	1,720	1,230				25	P3
PILECAP G	43	T16	1	42	42	2,475	21	1,000	530	1,000				164	P3
PILECAP G	44a	T32	1	1	1	4,400	21	1,230	2,100	1,230				28	P3

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP G	44b	T32	1	1	1	4,250	21	1,230	1,950	1,230				27	P3
PILECAP G	44c	T32	1	1	1	4,100	21	1,230	1,800	1,230				26	P3
PILECAP G	45a	T32	1	1	1	4,175	21	1,230	1,880	1,230				26	P3
PILECAP G	45b	T32	1	1	1	4,025	21	1,230	1,725	1,230				25	P3
PILECAP G	45c	T32	1	1	1	3,875	21	1,230	1,570	1,230				24	P3
PILECAP G	46a	T20	1	2	2	5,650	21	1,230	3,285	1,230				28	
PILECAP G	46b	T20	1	2	2	5,400	21	1,230	3,040	1,230				27	
PILECAP G	46c	T20	1	2	2	5,150	21	1,230	2,800	1,230				25	
PILECAP G	46d	T20	1	2	2	4,925	21	1,230	2,555	1,230				24	
PILECAP G	46e	T20	1	2	2	4,675	21	1,230	2,310	1,230				23	
PILECAP G	46f	T20	1	2	2	4,425	21	1,230	2,070	1,230				22	
PILECAP G	46g	T20	1	2	2	4,200	21	1,230	1,825	1,230				21	
PILECAP G	46h	T20	1	2	2	3,950	21	1,230	1,580	1,230				19	
PILECAP G	47a	T32	1	1	1	3,375	21	1,230	1,085	1,230				21	P3
PILECAP G	47b	T32	1	1	1	3,350	21	1,230	1,050	1,230				21	P3
PILECAP G	47c	T32	1	1	1	3,300	21	1,230	1,015	1,230				21	P3
PILECAP G	47d	T32	1	1	1	3,275	21	1,230	985	1,230				21	P3
PILECAP G	47e	T32	1	1	1	3,250	21	1,230	950	1,230				21	P3
PILECAP G	47f	T32	1	1	1	3,200	21	1,230	915	1,230				20	P3
PILECAP G	47g	T32	1	1	1	3,175	21	1,230	880	1,230				20	P3
PILECAP G	47h	T32	1	1	1	3,150	21	1,230	845	1,230				20	P3
PILECAP G	47i	T32	1	1	1	3,100	21	1,230	810	1,230				20	P3

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP G	48a	T32	1	1	1	3,900	21	1,230	1,615	1,230				25	P3
PILECAP G	48b	T32	1	1	1	3,575	21	1,230	1,275	1,230				23	P3
PILECAP G	48c	T32	1	1	1	3,225	21	1,230	940	1,230				20	P3
PILECAP G	49a	T25	1	1	1	4,000	21	1,165	1,805	1,165				15	P3
PILECAP G	49b	T25	1	1	1	3,900	21	1,165	1,685	1,165				15	P3
PILECAP G	49c	T25	1	1	1	3,775	21	1,165	1,565	1,165				15	P3
PILECAP G	50a	T20	1	1	1	3,700	21	1,165	1,470	1,165				9	
PILECAP G	50b	T20	1	1	1	3,575	21	1,165	1,340	1,165				9	
PILECAP G	50c	T20	1	1	1	3,450	21	1,165	1,210	1,165				9	
PILECAP G	50d	T20	1	1	1	3,300	21	1,165	1,080	1,165				8	
PILECAP G	50f	T20	1	1	1	3,175	21	1,165	950	1,165				8	
PILECAP G	51	T20	1	1	1	3,150	21	1,165	930	1,165				8	
PILECAP G	52	T20	1	1	1	3,500	21	1,165	1,270	1,165				9	
PILECAP G	53	T25	1	5	5	6,575	21	1,165	4,370	1,165				127	P3
PILECAP G	54	T20	1	7	7	2,750	00	2,750						47	
PILECAP G	55a	T20	1	1	1	3,500	21	1,165	1,275	1,165				9	
PILECAP G	55b	T20	1	1	1	3,475	21	1,165	1,240	1,165				9	
PILECAP G	55c	T20	1	1	1	3,425	21	1,165	1,200	1,165				8	
PILECAP G	55d	T20	1	1	1	3,400	21	1,165	1,165	1,165				8	
PILECAP G	55e	T20	1	1	1	3,350	21	1,165	1,125	1,165				8	
PILECAP G	55f	T20	1	1	1	3,325	21	1,165	1,085	1,165				8	
PILECAP G	55g	T20	1	1	1	3,275	21	1,165	1,050	1,165				8	

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP G	56a	T25	1	1	1	4,550	21	1,165	2,355	1,165				18	P3
PILECAP G	56b	T25	1	1	1	4,075	21	1,165	1,880	1,165				16	P3
PILECAP G	56c	T25	1	1	1	3,600	21	1,165	1,385	1,165				14	P3
PILECAP G	57a	T20	1	1	1	4,925	21	1,165	2,705	1,165				12	
PILECAP G	57b	T20	1	1	1	4,775	21	1,165	2,540	1,165				12	
PILECAP G	57c	T20	1	1	1	4,600	21	1,165	2,375	1,165				11	
PILECAP G	57d	T20	1	1	1	4,425	21	1,165	2,205	1,165				11	
PILECAP G	57e	T20	1	1	1	4,275	21	1,165	2,040	1,165				11	
PILECAP G	58	T32	1	6	6	1,025	00	1,025						39	
PILECAP G	59	T40	1	4	4	1,250	00	1,250						49	
PILECAP G	60	T32	1	12	12	3,750	21	580	2,945	380				284	P3
PILECAP G	61	T16	1	22	22	3,350	21	1,050	1,295	1,050				116	P1
PILECAP G	62	T16	1	26	26	2,725	21	1,050	675	1,050				112	P3
PILECAP G	63	T16	1	12	12	2,275	21	950	425	950				43	P1
PILECAP G	64	T16	1	38	38	2,975	21	1,000	1,020	1,000				179	P1
PILECAP G	65	T16	1	12	12	2,350	21	1,000	400	1,000				45	P3
PILECAP G	66	T16	1	12	12	2,600	21	1,000	650	1,000				49	P3
PILECAP G	67	T25	1	3	3	3,025	00	3,025						35	P3
PILECAP G	68	T16	1	5	5	5,075	25	2,165	2,165	1,880	1,880	730		40	
PILECAP G	69	T16	1	5	5	5,500	9982	2,530	805	2,165	1,095			43	
PILECAP G	70	T16	1	5	5	5,500	9982	2,530	805	2,165	1,095			43	

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP F	01	T25	1	4	4	3,850	21	1,240	1,495	1,240				59	P3
PILECAP F	02	T25	1	2	2	5,250	21	1,240	2,900	1,240				40	P3
PILECAP F	03	T25	1	8	8	3,100	21	1,240	750	1,240				96	P3
PILECAP F	04a	T20	1	1	1	5,050	21	1,240	2,675	1,240				12	
PILECAP F	04b	T20	1	1	1	4,825	21	1,240	2,435	1,240				12	
PILECAP F	04c	T20	1	1	1	4,575	21	1,240	2,190	1,240				11	
PILECAP F	04d	T20	1	1	1	4,325	21	1,240	1,950	1,240				11	
PILECAP F	04e	T20	1	1	1	4,100	21	1,240	1,705	1,240				10	
PILECAP F	04f	T20	1	1	1	3,850	21	1,240	1,465	1,240				9	
PILECAP F	04g	T20	1	1	1	3,600	21	1,240	1,220	1,240				9	
PILECAP F	04h	T20	1	1	1	3,350	21	1,240	980	1,240				8	
PILECAP F	05a	T20	1	1	1	5,050	21	1,240	2,675	1,240				12	
PILECAP F	05b	T20	1	1	1	4,825	21	1,240	2,435	1,240				12	
PILECAP F	05c	T20	1	1	1	4,575	21	1,240	2,190	1,240				11	
PILECAP F	05d	T20	1	1	1	4,325	21	1,240	1,950	1,240				11	
PILECAP F	05e	T20	1	1	1	4,100	21	1,240	1,705	1,240				10	
PILECAP F	05f	T20	1	1	1	3,850	21	1,240	1,465	1,240				9	
PILECAP F	05g	T20	1	1	1	3,600	21	1,240	1,220	1,240				9	
PILECAP F	05h	T20	1	1	1	3,350	21	1,240	980	1,240				8	
PILECAP F	06	T25	1	8	8	3,075	11	325	2,805					95	P3
PILECAP F	07	T20	1	2	2	6,200	21	1,215	3,870	1,215				31	
PILECAP F	08	T25	1	2	2	6,175	21	1,215	3,870	1,215				48	P3

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP F	09a	T25	1	2	2	3,550	21	1,215	1,255	1,215				27	P3
PILECAP F	09b	T25	1	2	2	3,475	21	1,215	1,160	1,215				27	P3
PILECAP F	09c	T25	1	2	2	3,375	21	1,215	1,065	1,215				26	P3
PILECAP F	09d	T25	1	2	2	3,275	21	1,215	975	1,215				25	P3
PILECAP F	09e	T25	1	2	2	3,175	21	1,215	880	1,215				24	P3
PILECAP F	10	T20	1	2	2	3,150	21	1,215	815	1,215				16	
PILECAP F	11	T20	1	2	2	3,050	21	1,215	725	1,215				15	
PILECAP F	12	T25	1	5	5	3,000	21	300	2,530	300				58	P3
PILECAP F	13	T20	1	2	2	3,025	21	400	2,330	400				15	
PILECAP F	14a	T20	1	1	1	4,750	21	1,215	2,410	1,215				12	
PILECAP F	14b	T20	1	1	1	4,575	21	1,215	2,240	1,215				11	
PILECAP F	14c	T20	1	1	1	4,400	21	1,215	2,065	1,215				11	
PILECAP F	14d	T20	1	1	1	4,225	21	1,215	1,895	1,215				10	
PILECAP F	14e	T20	1	1	1	4,050	21	1,215	1,720	1,215				10	
PILECAP F	14f	T20	1	1	1	3,875	21	1,215	1,550	1,215				10	
PILECAP F	15	T20	1	2	2	6,150	21	1,195	3,870	1,195				30	
PILECAP F	16	T40	1	2	2	6,050	21	1,195	3,870	1,195				119	
PILECAP F	17a	T40	1	1	1	6,025	21	1,195	3,850	1,195				59	
PILECAP F	17b	T40	1	1	1	5,850	21	1,195	3,660	1,195				58	
PILECAP F	17c	T40	1	1	1	5,650	21	1,195	3,475	1,195				56	
PILECAP F	17d	T40	1	1	1	5,475	21	1,195	3,285	1,195				54	
PILECAP F	17e	T40	1	1	1	5,275	21	1,195	3,095	1,195				52	

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP F	17f	T40	1	1	1	5,100	21	1,195	2,910	1,195				50	
PILECAP F	18a	T20	1	2	2	5,100	21	1,260	2,675	1,260				25	
PILECAP F	18b	T20	1	2	2	4,850	21	1,260	2,435	1,260				24	
PILECAP F	18c	T20	1	2	2	4,600	21	1,260	2,190	1,260				23	
PILECAP F	18d	T20	1	2	2	4,375	21	1,260	1,950	1,260				22	
PILECAP F	18e	T20	1	2	2	4,125	21	1,260	1,705	1,260				20	
PILECAP F	18f	T20	1	2	2	3,900	21	1,260	1,465	1,260				19	
PILECAP F	18g	T20	1	2	2	3,650	21	1,260	1,220	1,260				18	
PILECAP F	18h	T20	1	2	2	3,400	21	1,260	980	1,260				17	
PILECAP F	19	T40	1	4	4	5,700	21	1,260	3,380	1,260				225	
PILECAP F	20a	T40	1	2	2	5,700	21	1,260	3,375	1,260				112	
PILECAP F	20b	T40	1	2	2	5,450	21	1,260	3,150	1,260				108	
PILECAP F	20c	T40	1	2	2	5,225	21	1,260	2,925	1,260				103	
PILECAP F	21a	T20	1	1	1	5,050	21	1,195	2,755	1,195				12	
PILECAP F	21b	T20	1	1	1	4,875	21	1,195	2,580	1,195				12	
PILECAP F	21c	T20	1	1	1	4,700	21	1,195	2,410	1,195				12	
PILECAP F	21d	T20	1	1	1	4,525	21	1,195	2,235	1,195				11	
PILECAP F	21e	T20	1	1	1	4,350	21	1,195	2,065	1,195				11	
PILECAP F	21f	T20	1	1	1	4,175	21	1,195	1,890	1,195				10	
PILECAP F	21g	T20	1	1	1	4,000	21	1,195	1,720	1,195				10	
PILECAP F	21h	T20	1	1	1	3,850	21	1,195	1,550	1,195				9	
PILECAP F	22	T16	1	5	5	4,500	25	1,910	1,910	1,660	1,660	655		36	

RC DETAILS TO
 PILE CAP TYPE F & G

Date prepared : 31/03/2006

Date modified :

Prepared by : RLP

Checked by : CAA

Member	Bar Mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A * mm	B * mm	C * mm	D * mm	E/R * mm	Shape	Weight (Kg)	Rev
PILECAP F	23	T16	1	5	5	4,900	9982	2,280	700	1,910	995			39	
PILECAP F	24	T16	1	5	5	4,900	9982	2,280	700	1,910	995			39	
PILECAP F	25	T32	1	3	3	1,250	00	1,250						24	
PILECAP F	26	T40	1	4	4	5,350	21	1,135	3,280	1,135				211	
PILECAP F	27a	T40	1	1	1	5,300	21	1,135	3,225	1,135				52	
PILECAP F	27b	T40	1	1	1	5,050	21	1,135	3,000	1,135				50	
PILECAP F	27c	T40	1	1	1	4,850	21	1,135	2,780	1,135				48	
PILECAP F	28a	T40	1	1	1	5,300	21	1,135	3,225	1,135				52	
PILECAP F	28b	T40	1	1	1	5,050	21	1,135	3,000	1,135				50	
PILECAP F	28c	T40	1	1	1	4,850	21	1,135	2,780	1,135				48	
PILECAP F	29	T16	1	16	16	3,350	21	1,050	1,295	1,050				85	P1
PILECAP F	30	T16	1	20	20	2,550	21	1,050	495	1,050				81	P1
PILECAP F	31	T16	1	10	10	2,350	21	950	495	950				37	P1
PILECAP F	71	T16	1	32	32	3,150	21	1,000	1,200	1,000				159	P3
PILECAP F	72	T16	1	36	36	2,525	21	1,000	570	1,000				144	P3
PILECAP F	73	T16	1	18	18	2,475	21	900	725	900				70	P2
PILECAP F	74	T16	1	18	18	2,150	21	900	410	900				61	P2
PILECAP F	75	T25	1	2	2	3,600	21	1,240	1,240	1,240				28	P3
PILECAP F	76	T25	1	2	2	3,825	21	1,240	1,465	1,240				29	P3
PILECAP F	77	T25	1	1	1	6,125	21	1,215	3,825	1,215				24	P3